

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	645	379/406.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:03
L3	1	L1 and call with classifier\$1 and echo near7 (cancel\$8 or suppress\$5 or eliminat\$5 or reduc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:09
L4	1673	379/406.01-406.16.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:06
L5	3	L4 and call with classifier\$1 and echo near7 (cancel\$8 or suppress\$5 or eliminat\$5 or reduc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:10
L7	1034	370/286-292.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:10
L8	2	L7 and call with classifier\$1 and echo near7 (cancel\$8 or suppress\$5 or eliminat\$5 or reduc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:11
S1	617	379/406.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:11
S2	1459	echo near7 ((cancel\$8) or (suppress\$5) or (eliminat\$5) or (reduc\$5)) with network\$1 and \$4communication\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:16
S3	16	S2 and pool with echo near7 ((cancel\$8) or (suppress\$5) or (eliminat\$5) or (reduc\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:17

S4	7	S3 and switch\$3 with ((center\$1) or (centre\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:45
S5	9	S3 and switch\$3 with ((center\$1) or (centre\$1) or (node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:44
S6	2	S5 and echo with energy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:45
S7	4	S3 and threshold\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:48
S9	3	S7 and monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:51
S11	103	call adj ((classifier\$1) or (processor\$1)) and detect\$5 with echo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:35
S12	16	S2 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:34
S13	12	call adj ((classifier\$1) or (processor\$1)) and detect\$5 near echo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:37
S14	0	call adj ((classifier\$1) or (processor\$1)) with detect\$5 near echo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:37
S15	50	call adj ((classifier\$1) or (processor\$1)) with echo\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:39

S16	10	S15 and detect\$5 with echo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:38
S17	6	call adj ((classifier\$1) or (processor\$1)) with echo\$2 with detect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:40
S18	2	S9 and allocat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:50
S19	2	S9 and activat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:50
S20	2	S9 and deactivat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:50
S21	3	S9 and continuous\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:51
S22	2	S9 and continuous\$4 with monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:52